

Posttest

If you wish to receive continuing education credit for this program, you must complete this posttest. Each question below contains four suggested answers, of which one or more is correct. Choose the answer:

- A if 1, 2, and 3 are correct
- B if 1 and 3 are correct
- C if 2 and 4 are correct
- D if 4 is correct
- E if 1, 2, 3, and 4 are correct

26. Acute exposure to Stoddard solvent may adversely affect all of the following except:

- (1) CNS
- (2) vision and hearing
- (3) mucous membranes
- (4) pancreas

27. Stoddard solvent would probably be found in which of the following locations?

- (1) dry-cleaning plants
- (2) print shops
- (3) automobile-repair stations
- (4) food-processing plants

28. Recommended treatment for acute ingestion of small to moderate amounts of Stoddard solvent usually includes which of the following?

- (1) steroids and hyperbaric oxygen
- (2) gastric lavage
- (3) prophylactic antibiotics
- (4) symptomatic support

29. Which of the following are associated with exposure to Stoddard solvent?

- (1) neurobehavioral changes
- (2) dermatitis
- (3) visual changes
- (4) headaches

30. Consumers may be exposed to Stoddard solvent by which of the following?

- (1) paint thinners
- (2) chemical cleaning products
- (3) dry-cleaned clothes
- (4) pesticides

31. Which of the following statement(s) is (are) true?

- (1) Stoddard solvent is a superior solvent because it readily dissolves in water
- (2) benzene and other aromatic compounds make up approximately 60% of Stoddard solvent
- (3) Stoddard solvent is a known developmental toxicant
- (4) exposure to Stoddard solvent may cause CNS effects and defatting of the skin

32. Which of the following tests may be appropriate for monitoring a person chronically exposed to Stoddard solvent?

- (1) liver function tests
- (2) urinalysis
- (3) complete blood count
- (4) serum amylase

33. Which of the following statement(s) is (are) true?

- (1) persons with increased susceptibility to Stoddard solvent toxicity include those with COPD
- (2) pulmonary aspiration can be a hazard after Stoddard solvent ingestion
- (3) Stoddard solvent can cause CNS toxicity
- (4) significant health effects have occurred as a result of drinking Stoddard solvent -contaminated water because it is a human carcinogen

Note to Nurses

CDC is accredited by the American Nurses Credentialing Center's (ANCC) Commission on Accreditation. ANCC credit is accepted by most State Boards of Nursing.

California nurses should write in "ANCC - Self-Study" for this course when applying for relicensure. A provider number is **not** needed.

Iowa nurses must be granted special approval from the Iowa Board of Nursing. Call 515-281-4823 or e-mail marmago@bon.state.ia.us to obtain the necessary application.